



317.CUT-40COM

Compressor inside!

Input voltage 220V | 50/60Hz | Cooling AF | Carbon Steel 14 mm | Pilot Arc Controller

317.CUT - 40COM

PILOT ARC CONTROLLER

Increases cutting capabilities and speed.

PROTECTION

Equipped with temperature, voltage and current sensors for high protection.

CUTTING THICKNESS

Carbon Steel 14 mm

Aluminium 14 mm

Copper 10 mm



EFFICIENCY : $\geq 85\%$

FREQUENCY : 50/60Hz

INSULATION CLASS : H

PROTECTION CLASS : IP23

COOLING : AF

Power Supply Voltage	160~275 V
Effective Current (A)	25
Rated Input Power (kW)	4.7
Rated Input Current (A)	33
Duty Cycle (40°C 10min)	60%40A 100%30A
No Load Voltage (V)	25
Cutting Current Range (A)	20~40
Net Weight (kg)	17.9
Dimensions (mm)	480x210x340
Serverance Cut (mm)	Carbon Steel ≤ 18
Production Cut (mm)	Carbon Steel ≤ 14 , Stainless Steel ≤ 14 Aluminium ≤ 14 , Copper ≤ 5



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF!

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT US

Nieuwland parc 1
2952 DA Alblasterdam,
The Netherlands

T: +31 (0)78 642 96 56

F: +31 (0)78 642 96 86

www.lascentrum.com

info@lascentrum.com

