



CUT-120

CNC Option | MCU Control System | Phase Lose Protection | IGBT module

317.CUT-120

ARC STABILITY

Increases cutting capabilities and speed.

PROTECTION

Equipped with temperature, voltage and current sensors for high protection.

CUTTING THICKNESS

Carbon Steel 35 mm

FREQUENCY : 50/60Hz

INSULATION CLASS : H

PROTECTION CLASS : IP23

COOLING : AF



SPECIFICATIONS

Power Supply Voltage (V)	380 ~ 460
Rated Input Power (kW)	14.5
Rated Input Current (A)	36
Duty Cycle (40°C 10min)	60% @ 120 A 100% @ 100 A
No load Voltage (V)	450
Cutting Current Range (A)	20~100
Net Weight (kg)	30.5
Dimensions (mm)	660 x 240 x 445
Production Cut (mm)	Carbon steel: ≤35
	Stainless steel: ≤35
	Aluminium: ≤30
	Copper: ≤35



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1
2952 DA Alblasserdam,
The Netherlands

T: +31 (0)78 642 96 56
F: +31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

