



MIG - 300DP - 3

MIG, MMA, TIG (lift-arc)

Generator friendly | Waveform control | 3 ~ 400V | IP23

317.MIG-300DP-3

PFC TECHNOLOGY

Power factor more than 0.99 will save much energy
Digital control of all the welding parameters.

PROTECTION

Protections including phase loss, over-heat,
over-voltage, low-voltage and overcurrent

ARC STABILITY

Waveform control, for extra arc stability,
even at low currents.



EFFICIENCY : $\geq 85\%$

INSULATION CLASS : H

PROTECTION CLASS : IP23

COOLING : AF

Power Supply Voltage	3 ~ 380/400/440 $\pm 10\%$		
	MIG	MMA	TIG
Rated Input Power (kW)	10,9	8,3	12
Rated Input Current (A)	23,6	18	26
Duty Cycle (40°C 10min)	300A @ 40%		
	250A @ 60%		
	200A @ 100%		
Welding Current Range (A)	15 ~ 300		
No Load Voltage (V)	15		
Net Weight (kg)	26		
Dimensions (mm)	670 x 249 x 450		
Wire Diameter (mm)	Fe: 0.8/1.0/1.2 Ss: 0.8/1.0/1.2		
	Flux-Cored: 1.0/1.2 Al: 1.0/1.2		



GENERATOR
FRIENDLY



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF!

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT US

Nieuwland parc 1
2952 DA Alblasterdam,
The Netherlands

T: +31 (0)78 642 96 56
F: +31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

