



NIES K2 CLAMP HEAD

Suitable for use with current coupling NKK 800 or NKK 1200 for rotating workpieces

Suitable for use with current coupling NKK 800 or NKK 1200 for rotating workpieces

This extremely robust clamp head of cast brass with strong tommy screw is a general purpose earth coupling. The clamp head can be fastened to the current coupling as follows:

- Radially to rotational motion
- Axially to rotational motion

or any angle between this positions.



Article code	Description	Load	Clamping span	Tommy screw	Weight
332.270000	NIES Clamp head K2	1200 A	43 mm	M 16	1.7 kg

Handle connection type GA 800

Suitable for use with handle connection Type GA 800 for stationary workpieces.

Quick and easy fitting ensured by clamped connection with cable-protecting handle and bending guard.





Article code	Description	Load	Cable cross-section	Weight
332.280000	GA 800	800 A	70-95 mm ²	0.7 kg



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can nd everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1 2952 DA Alblasserdam, The Netherlands

T:+31 (0)78 642 96 56 F:+31 (0)78 642 96 86

www.lascentrum.com

