



SELF-ALIGNING ROTATORS

WRS Series | Adjustable rotating speed | 4 rollers each | Max. load: 5.000kg - 200.000kg

WRSA

The WRSA series has one drive unit which arrange of a continuous rotation with frequency conversion stepless speed controlling. The 4 rollers joint align themselves via the diameter of the workpiece.

For turning and positioning workpieces in the sections of mechanical engineering, container building, plant construction and pipeline construction.

- **Welded, robust steel construction.**
- **Adjustable rotating speed.**
- **Automatically matching different diameter's workpiece.**
- **Unit equipped with 4 rollers each.**




SCOPE OF DELIVERY

1 POWER AND 1 IDLER TURNING ROLLS

1 ELECTRIC CONTROL SYSTEM:

- 1 Control panel**
- 1 Remote pendant**
- 1 Foot switch**



Article code	Max. load	Workpiece diameter Ø	Roller diameter Ø	Roller width	Rolling speed	Roller motor
WRSA-05	5.000 kg	250 - 2.500 mm	250 mm	100 mm	6-60 m/h	0.75 kw
WRSA-10	10.000 kg	320 - 3.200 mm	300 mm	120 mm	6-60 m/h	1.1 kw
WRSA-10M	5.000 kg	320 - 3.200 mm	300 mm	120 mm		
WRSA-20	20.000 kg	500 - 3.800 mm	350 mm	150 mm	6-60 m/h	1.5 kw
WRSA-20M	10.000 kg	500 - 3.800 mm	350 mm	150 mm		
WRSA-40	40.000 kg	600 - 4.500 mm	400 mm	160 mm	6-60 m/h	3 kw
WRSA-60	60.000 kg	750 - 5.000 mm	450 mm	180 mm	6-60 m/h	2 x 2.2 kW
WRSA-80	80.000 kg	850 - 5.500 mm	450 mm	240 mm	6-60 m/h	2x 3 kW
WRSA-100	100.000 kg	1.000 - 6.300 mm	500 mm	240 mm	6-60 m/h	2x 3 kW
WRSA-150	150.000 kg	1.000 - 6.300 mm	500 mm	400 mm	6-60 m/h	2x 4 kW
WRSA-200	200.000 kg	1.000 - 7.000 mm	600 mm	400 mm	6-60 m/h	2x 4 kW



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1
2952 DA Alblasserdam,
The Netherlands

T:+31 (0)78 642 96 56
F:+31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

