



WELD-MAX A

MIG/MAG Anti Splatter Nozzle Coating | Long lasting protection of welding equipment

WELD-MAX A

MIG/MAG Anti Splatter Nozzle Coating

WELD-MAX A serves as a rapid drying ceramic coating providing exceptional protection lubrication and release properties. The high temperature h-boron nitride barrier prevents molten metal such as weld spatter adhering to equipment and consumables or to other metallic substrates. Weld-max A is widely used on all MIG and MAG welding equipment. The professional welder can extend the working life of the welding equipment and the welding process can continue for longer with far fewer cleaning stops.

Weld-max A provides long lasting protection of welding equipment, e.g. shrouds and nozzles but on hand is a highly versatile product on the other hand. Thanks to its chemical inertness and ability to resist extremely high temperatures many industries benefit from its advantages. BN based coatings increase lifetime of dies and moulds resulting in improved surface finishing. This makes the product suitable for use in metal processing as well as sintering operations and glass manufacturing or as chute coating. Weld-max A is a perfect solution when working with extremely high temperatures (up to 1200°C) especially in applications suffering from contamination, reactivity and sticking.

Cleaner welding equipment, cleaner operation, reduced costs, better surface finish, saves time, reduces production time, chemically inert.



HOW TO USE:

For the spray, shake the can vigorously and apply Weld-max A Spray from approx. 20 cm onto the item needing protection. Apply a thin uniform film. The coating will be dry and be ready for use within seconds.

TYPICAL	VALUE
Appearance	White mobile fluid
Solids content, %	12
Density, kg/cm ₃	0.875
Flash point, °C	-22
Functional solid	Hexagonal boron nitride
Carrier fluid	Mixed solvents
Colour	White
Service temperature, °C	>1000

Lascentrum
welding & cutting

Lascentrum
welding & cutting

WELD-MAX A
SPECIALTY LUBRICANTS

Lascentrum
welding & cutting

WELD-MAX A
SPECIALTY LUBRICANTS

NOW AVAILABLE!

This spray nozzle ensures that the ceramic protective coating of the welding spray is quickly and accurately applied to the area to be protected. **ART: 333.P1920256**



EXPERIENCE THE CONVENIENCE OF EVERYTHING UNDER ONE ROOF

At Lascentrum, you can find everything you need regarding products for welding and safety. Lascentrum has been established in 1988 and now imports a complete range of welding consumables, gouging electrodes, gas welding & cutting equipment, welding blankets, safety products and accessories.

CONTACT

Nieuwland Parc 1
2952 DA Alblasterdam,
The Netherlands

T:+31 (0)78 642 96 56
F:+31 (0)78 642 96 86

www.lascentrum.com
info@lascentrum.com

